

How to order the GeneSight® test

Sample collected by patient at home

1

Enter the order at myGeneSight.com

Click the NEW ORDER button on the homepage

genesight®

NEW ORDER

SCHEDULE FEDEX PICKUP

Filter This List ▾

Patient	Order Date
Loe, Laura 8/23/1992	3/14/19

2

Ship kit to patient

In the Patient Information section, select Yes to Ship a Kit

- Confirm patient address is accurate
- We will ship a kit to your patient in 24-48 hrs
- The sample status can be viewed on the homepage

Ship Kit to Patient

Are you seeing this patient remotely? Select 'Yes' below and we'll ship a kit to the patient's address above to complete remote sample collection.

Yes No

Got it. We will ship a kit to the address above.

3

Clinician or staff completes the order

If staff places a Medicare / Medicare Advantage order, clinician will need to authorize by:

Clinician must authorize order before patient collects sample

Manual Signature:

Clinician signs printed form

- upload to the order via myGeneSight.com, email to support@genesight.com, or fax to 888.894.4344

Electronic Signature:


Clinician signs via e-signature

- click 'Sign and Authorize Order' on myGeneSight.com

4

Patient collects samples using GeneSight Patient Collection Kit

Patients are asked to return samples within 2 days of receiving their kit



5

View your patient's GeneSight test results

Once the patient's samples are returned and their results are ready, you will receive an email notification to view them on myGeneSight.com

GeneSight® Psychotropic
COMBINATORIAL PHARMACOGENOMIC TEST

Patient, Sample
DOB: 7/22/1984
Order Number: 218
Report Date: 4/16/2020
Clinician: Sample Clinician
Reference: 1456CIP

Questions about report interpretation?
Contact our Medical Information team
☎ 855.891.9415
✉ medinfo@assurexhealth.com

USE AS DIRECTED	MODERATE GENE-DRUG INTERACTION	SIGNIFICANT GENE-DRUG INTERACTION
desvenlafaxine (Pristiq®)	trazodone (Desyrel®) 1	selegiline (Emsam®) 2
levomilnacipran (Fetzima®)	venlafaxine (Effexor®) 1	mirtazapine (Remeron®) 1,6
vilazodone (Viibryd®)	fluoxetine (Prozac®) 1,4	sertraline (Zoloft®) 2,4
	bupropion (Wellbutrin®) 1,6	amitriptyline (Elavil®) 3,8